


Deep Sea control panel



Murphy oil level shutdown



Donaldson external air filter



Heavy duty aluminum radiator with guards



EPA certified exhaust system



Flanged headers









Lock off valve



80 amp breaker



SRC 5.7L GENSET 45kw



1-800-545-4574 • mastry.com



PART NUMBER	F101343 -VP (LP) (MG)	FR101576	FR101013	FR102200	
NG/LP ENGINE	5.7L Genset 45 kw/60HP	Luberliner	Kenco Day Tank	Lockable battery box	Telemetry
Manufacturer	GM / SRC Auto 5.7L				
Model	N10532B				
Front engine mount	Std.				
Industrial oil pan with fittings welded in (6qts)	Std.				
EPA Emissions Certified	Std.				
Oil Drain System	Std.				
Governor	Elect.				
Starter	Std.				
Alternator	Std.				
Belt Guards	Std.				
Sae 3 rear housing	Std.				
CONTROL PANEL					
Digital Control panel: (Displays hours, electrical and mechanical values, alarms and safety shutdowns)	Deep Sea 7310				
Fully Enclosed	Std.				
Check Engine Light	Std.				
Emergency Shutdown	Std.				
External Safety Shutdown	Std.				
Keyless Ignition Switch	Std.				
Battery Cables	Std.				
FUEL SYSTEM					
Impco LP Certified fuel system with heat trace	Opt.				
Impco Nat gas certified fuel system	Opt.				
Impco Vapor Propane certified fuel system	Std.				
EXHAUST SYSTEM					
EPA Certified	Std.				
Dual O2 sensor	Std.				
Single Catalyst	Std.				
Muffler	Opt.				
SKID BASE					
Heavy Duty 7 gauge frame rails and crossmembers	Std.				
Fully Welded design	Std.				
Battery tray	Std.				
Forklift pockets	Std.				
Containment tray	Opt.				
4 point lifting eyes	Opt.				
COOLING SYSTEM					
Heavy Duty Aluminum radiator	Std.				
Puller fan	Std.				
ENCLOSURE					
Heavy Duty 14 gauge Enclosure	Std.				
Powder Coated panels (color of choice)	Std.				
Radiator Grill Guard	Std.				
Easy Access for Radiator Filling	Std.				
Easy access for air cleaner maintenance	Std.				
Side Doors	Std.				
GENERATOR					
Stamford Newage UCL224E	Std.				
Continuous 45 kw / 60 Electric HP	Std.				
80 Amp Breaker	Opt.				
EXTENDED OIL SERVICE SYSTEM					
Luberliner 750-CT W/ fittings and hoses 3 gallons of oil (5w30)		Std. Std.			
KENCO DAY TANK					
			Std.		
BATTERY BOX					
Heavy duty lockable battery box				Std.	
Telemetry					
Remote monitoring system					Std.